



SAFETY DATA SHEET (SDS)

Date Revised : 01 / 15

Supersedes : 03 / 13

HYDROXIPRO #128-4

**MULTI-TASKING
CONCENTRATED CLEANER**

SECTION 1 : IDENTIFICATION OF SUBSTANCE / COMPANY

PRODUCT NAME / IDENTIFIER :	"HYDROXIPRO #128-4" – < 4% Hydrogen Peroxide Solution
PRIMARY APPLICATION / RECOMMENDED USAGE :	Multi-Task Cleaning (see Product Label) -- All-purpose , Carpet, Degreasing, Floor, Glass, Grout
DISTRIBUTED EXCLUSIVELY BY :	HEALTHY CLEAN BUILDINGS 4 Wilmington Drive Melville, New York 11747
INFORMATION TELEPHONE :	1-631-643-1882
EMERGENCY TELEPHONE (24 hour) :	CHEMTREC :1-800-424-9300 (ref. : Core)
USAGE RESTRICTIONS :	Refer to Product Label

SECTION 2 : HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture (GHS-US)

Skin Irritation 2	H315
Eye Damage 1	H318
Skin Sensitivity 1	H317

2.2 Label Elements

Hazard Pictograms
(GHS-US Labeling)



Skin & Eye Irritant
Respiratory Tract Irritant

Signal Word :

Warning

Hazard Statements :

H315 – Causes Skin Irritation in concentration . Follow label directions for proper water dilutions .
H317 – May cause an allergic skin reaction in concentration . Follow label directions for proper water dilutions .
H318 – May cause serious eye damage in concentration . Follow label directions for proper water dilutions .

Precautionary Statements

P261 – Avoid breathing dust/mist/spray in concentration . Follow label directions for proper water dilutions .
P264 - Wash hands and forearms thoroughly after handling
P280 – Wear Protective gloves/eye protection
P302 + P352 – If on skin, wash with plenty of soap and water
P305+P351+P338 – If in eyes, rinse cautiously with water for several minutes .
If easy to do, remove contact lenses .Continue rinsing
P337+P313 – If eye irritation persists , get medical advice/attention .



HYDROXIPRO #128-4

MULTI-TASKING CONCENTRATED CLEANER

Precautionary Statements (continued)

- P310 – Immediately call a poison center / doctor .
- P321 – Specific treatment (see First Aid Measures on Product Label / SDS)
- P332+P313 – If skin irritation occurs, get medical advice / attention
- P333+P313 – If skin irritation or rash occurs, get medical advice / attention
- P362+P364 – Take off contaminated / soiled clothes and wash before reuse
- P501 – Dispose of contents / container in accordance with local / regional/ national / int'l regulations

Other Hazards : None

Ingredients with Unknown Acute Toxicity : None

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS :

Chemical characterization : Mixture

Hazardous Components :

<u>Ingredient :</u>	<u>CAS Number :</u>	<u>Percent :</u>	<u>OSHA / PEL :</u>	<u>ACGIH / TLV :</u>
Hydrogen Peroxide	7722-84-1	< 4%	1.4 mg/m3	1.4 mg/m3
Alcohol Ethoxylate	68131-39-5	< 3%	NE	NE
Orange Oil	8008-57-9	<=2.5 %	NE	NE

NOTE : Approximate percentages – Exact percentages and identities are withhold as trade secrets

SECTION 4 : FIRST AID MEASURES

Description of Necessary Measures :

After Inhalation : Move to fresh air . Consult a doctor if adverse conditions persist .

After Skin Contact : Wash with plenty of soap and water . Re-lubricate skin by applying a skin moisturizer . Launder soiled , contaminated clothing before reuse . If skin irritation or rash persists, seek medical attention .

After Eye Contact : Rinse cautiously with warm running water for 15 minutes . If easy to do, remove contact lenses .Continue water rinsing . If eye irritation persists, seek medical attention .

After Ingestion : Rinse mouth . DO NOT induce vomiting . If patient is fully conscious, continue to rinse mouth with water and drink 2-3 glasses of water .If adverse conditions persist , seek medical attention . Never give anything by mouth if victim is unconscious, rapidly losing consciousness, or is convulsing .

SECTION 5 : FIRE FIGHTING MEASURES :

Suitable Extinguishing Media : Water Fog, Alcohol Foam, Dry Chemical

Unsuitable Extinguishing Media : None

Flammability : Not Flammable (Aqueous Solution)

Flashpoint (°F, °C , PMCC) : > 212°F

Special Protective Equipment for Fire Fighters : Wear self-contained Respiratory Protective Device . Wear fully protective suit .



HYDROXIPRO #128-4

MULTI-TASKING CONCENTRATED CLEANER

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Evacuate unnecessary personnel . Ventillate area with fresh air . In case of chemical fumes, use a respiratory protective device . Exercise caution from slipping on leaked / spilled product . **Leak and Spill Procedure** : Collect excess product for disposal . Clean up remaining product from spill with appropriate liquid-binding absorbent (ie : sand, diatomite , universal binders , sawdust) . For large spills , provide diking or other containment measures to prevent spreading . If diked product can be pumped, store recovered product in compatible drums for recovery or disposal . Clean area with warm water several times to prevent any future slip hazards . Observe personal protective equipment recommendations . **Environmental Precautions** : Make best efforts to prevent entry into sewers and public waters. Take extreme measures to prevent large quantities of undiluted concentrated product to reach ground water, water course, or sewage system .

SECTION 7 : HANDLING & STORAGE REQUIREMENTS

KEEP OUT OF REACH OF CHILDREN

Precautions for Safe Handling : Read product literature, label , and SDS before use . Use product strictly according to label directions .

Wash hands and other exposed areas with soap and water before eating, drinking, smoking; or when leaving work . Provide adequate ventilation in storage area to prevent formation of fumes . Avoid personal contamination, especially inhalation , after a spill .

Hygiene Measures : Wash hands and forearms thoroughly after handling . Launder soiled, contaminated clothing before re-use .

Safe Storage Conditions : Keep in original container in a cool , well-ventilated place away from open flames . Keep container closed when not in use.

Incompatible Products : Caustic Alkalis or Caustic Acids

Incompatible Circumstances : Sources of Ignition (ie ; open flames) . Direct sunlight .

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

Health & Safety Accreditation :  NSF Accredited

This diluted, finished product used as per label directions is not considered to be a harmful in the workplace .

Workplace Control Parameters : Hydrogen Peroxide, Concentrate=35%, Aqueous Solution (7722-84-1)

USA ACGIH TWA (ppm) 1 ppm

USA ACGIH STEL (ppm) 1 ppm

Engineering Controls : Adequate general ventilation

Personal Protective Equipment : Avoid unnecessary exposure

Respiratory Protection : May not be required under normal conditions of use . Wear appropriate mask or respiratory protective device when misted or fogged . For unplanned spills, respiratory protection may be advisable .

Skin / Hand Protection : Wear chemical –resistant gloves (ie : rubber, nitrile rubber, neoprene) . For skin and body protection , usually no protective clothing is required under normal ,stable conditions . Under unusual, unstable conditions , wear appropriate protective clothing .

Eye Protection : Wear chemical goggles, safety glasses , or full face shield .

Other Information : DO NOT eat, drink, or smoke during use .

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Viscous Liquid

pH (as is) : 6.0-6.5

Freezing Point : < 32 °F, < 0 °C

Solubility in Water : 100 % Miscible

Explosive Limits : Undetermined

Partition coefficient : (n-octanol/water) Undetermined

Specific Gravity (Water = 1) : 1.01

Color : Clear - Amber

Relative Evaporation Rate (butyl acetate=1) : NA

Boiling Point : >212 ° F

Evaporation Rate (Ethyl Ether=1 : >1

Vapor Pressure : Undetermined

Auto-ignition Temperature : Undetermined

Odor : Citrus

Melting Point : Undetermined

Flashpoint : ≥ 200 ° F

Flammability : NA

Relative Density : Undetermined

Decomposition Temp. : Undetermined



HYDROXIPRO #128-4

**MULTI-TASKING
CONCENTRATED CLEANER**

TOXOLOGICAL INFORMATION (continued)

Hydrogen Peroxide, 30% Aqueous Solution (continued)

Carcinogenicity : CAS# 7722-84-1 (30% Aqueous Solution) :

Oral, mouse: TDLo = 622 gm/kg/2Y (continuous).

ACGIH : A3 - Animal carcinogen;

IARC : IARC Group 3 - Not classifiable

NTP : Not listed

Epidemiology : No human information available.

Teratogenicity : No human information available.

Reproductive Effects : No human information available.

Neurotoxicity : No information available.

Mutagenicity : CAS#: 7722-84-1 (30%) Mutation in microorganisms: S. typhimurium = 4400 umol/plate.; Hyman, embryo = 50 umol/L.;

Cytogenetic Analysis: Human, embryo = 20 umol/L. Mutation in Mammalian Somatic Cells: Hamster, lung = 1 mmol/L.

Hydrogen Peroxide , Concentrate=35% Aqueous Solution (7722-84-1)

AIRC Group 3 – Not Classifiable

Alcohol Ethoxylate (cas # 68131-39-5) :

Product / Ingredient Name :	Result :	Species :	Exposure :
Alcohol Ethoxylate (cas # 68131-39-5)	LD 50 Acute Dermal	Rabbit	> 2000 mg/kg
	LD 50 Acute Oral	Rat	> 2000 mg/kg

<http://www.stepan.com/msds/00322400.pdf>

Alcohol Ethoxylate (cas # 68131-39-5) : (continued)

Sensitization : Not classified.

Acute effects : May be harmful if swallowed. May irritate skin after prolonged exposure .

Carcinogenicity : This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Mutagenicity : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Reproductive effects : This product is not expected to cause reproductive or developmental effects.

(+) – limonene (5989-27-5) :

Product / Ingredient Name :	Result :	Species :	Exposure :
limonene – cas # 5989-27-5 : (orange oil)	LD 50 (oral)	Rat	4400 mg/kg body weight ; (Rat : OECD 423 ; Acute Oral Toxicity – Acute Toxic Class Method ; Literature Study ; > 2000 mg / kg bodyweight ; Rat ; Read-across)
	LD 50 (dermal)	Rabbit	> 5000 mg / kg body weight (Rabbit ; Weight of Evidence; Equivalent or similar to OECD 402)
	ATE US (oral)		4400.00000000 mg / kg body weight

file:///C:/Documents%20and%20Settings/Stan/My%20Documents/Downloads/(en-GB)068073_1.00.pdf



HYDROXIPRO #128-4

MULTI-TASKING CONCENTRATED CLEANER

TOXOLOGICAL INFORMATION (continued)

(+) – limonene -- cas # 5989-27-5 : (continued)


Skin Corrosion / Irritation	: Causes Skin Irritation @ pH: 4-5
Serious Eye Damage / Irritation	: Causes Serious Eye Damage @ pH: 4-5
Respiratory or Skin Sensitization	: May Cause an Allergic Skin Reaction
Germ Cell Mutagenicity	: Not Classified

(+) – limonene (5989-27-5) :

AIRC Group 3 – Not Classifiable

Aspiration Hazard	: Not Classified
Potential Adverse Human Health Effects & Symptoms	: Based on Available Data, the Classification Criteria are not met
Symptoms / Injuries After Inhalation	: May Cause Allergic Skin Reaction
Symptoms / Injuries After Skin Contact	: After Prolonged Exposure, Causes Serious Skin Irritation
Symptoms / Injuries after Eye Contact	: After Prolonged Exposure, Causes Serious Eye Damage

SECTION 12 : ECOLOGICAL INFORMATION

ENVIRONMENTAL ACCREDITATION :  Green Seal Certified -- " HydroxiPro # 128-4 " as a concentrated , finished product .
This diluted , finished product used as per label directions is not considered to be a harmful to human life or the environment .

ECOTOXICITY :

Aquatic Toxicity :

* Hydrogen Peroxide , Concentrate=35% Aqueous Solution (7722-84-1) :

.EC50 Water Flea2.4 mg/ l (48h (fresh water) . = Concentrate=30% Aqueous Solution (7722-84-1)
*LC50 Fish 116.4 mg/ l (96 h; Pimephales Promelas)
.LC50 Carp42 mg/ l (48 h = Concentrate=30% Aqueous Solution (7722-84-1)
.LC50 Channel Catfish37.4 mg/ l (96h = Concentrate=30% Aqueous Solution (7722-84-1)
.LC50 Fathead Minnow16.4 mg/ l (96h (fresh water) = Concentrate=30% Aqueous Solution (7722-84-1)
*EC50 Daphnia 12.4 mg/ l (48 h; Daphnia Pulex ; Solution >= 50%)
*EC50 Other Aquatic Organisms 12.5 mg/ l (72 h, Chlorella Vulgaris)
*LC50 Fish 237.4 mg/ l (96 h; Ictalurus Punctatus)
*EC50 Daphnia 27.7 mg/ l (24 h; Daphnia Magna ; Solution >= 50%)
*Threshold Limit Algae 10.1 mg/ l (72 h, Chlorella Vulgaris)

Alcohol Ethoxylate , Concentrate=>90% (68131-39-5) :

EC50 Algae10 - 100 mg/ l (72 h = Concentrate=>90% (68131-39-5)
EC50 Daphnia5 - 10 mg/ l (48 h = Concentrate=>90% (68131-39-5)
LC50 Fish: 5 - 10 mg/ l (96 h = Concentrate=>90% (68131-39-5)

NOTE : Over prolonged exposure periods , Alcohol Ethoxylate , Concentrate=>90% (68131-39-5)
may be toxic to aquatic life with long lasting effects .



HYDROXIPRO #128-4

MULTI-TASKING CONCENTRATED CLEANER

ECOLOGICAL INFORMATION : (continued)

(+) – limonene (5989-27-5) :

LC50 Fish 1	720 mg/l (96 h; Pimephales Promelas ; Lethal)
EC50 Daphnia 1	0.36 mg/l (48 h; Daphnia Magna; GLP)
LC50 Fish 2	702 mg/l (96 h; Pimephales Promelas)
Threshold Limit Algae 1	150 mg/l (72 h, Desmodesmus Subspicatus ; GLP)
Threshold Limit Algae 2	2.62 mg/l (72 h, Desmodesmus Subspicatus)

“ HydroxiPro # 128-4 ” as a finished product :

Persistence and DegradabilityNot Established

PERSISTENCE AND DEGRADABILITY :

Hydrogen Peroxide , Concentrate=35% Aqueous Solution (7722-84-1) :

Persistence and Degradability	Biodegradability : Not Applicable . No test data on mobility of the components available.
.....	Photolysis in air .
Biochemical Oxygen Demand (BOD)	Not Applicable
Chemical Oxygen Demand (COD)	Not Applicable
ThOD	Not Applicable
BOD (% of ThOD)	Not Applicable

Alcohol Ethoxylate , Concentrate=>90% (68131-39-5) :

Persistence / degradability : Readily biodegradable.
Bioaccumulation / Accumulation : ND

(+) – limonene (5989-27-5) :

Persistence and Degradability	Readily Biodegradable in Water . Forming Sediments n Water . Absorbs into Soil .
ThOD	3.29 g O2 /g Substance

BIOACCUMULATIVE POTENTIAL :

“ HydroxiPro # 128-4 ” as a finished productNot Established

Hydrogen Peroxide , Concentrate=35% Aqueous Solution (7722-84-1)

Log Pow	-1.36
Bioaccumulative Potential	Bioaccumulation : Not Applicable

(+) – limonene (5989-27-5) :

BCF Fish 1	864.8 – 1022 (Pisces; Fresh Weight)
Log Pow	4.38 (Experimental Value :) OECD 117 : Partition Coefficient (n-octanol/water ; HPLC Method 37 ° C)
Bioaccumulative Potential	4 ≥ Log Kow ≤ 5

TERRESTRIAL TOXICITY (“ HydroxiPro # 128-4 ”) :No Additional Information Available

MOBILITY IN SOIL (“ HydroxiPro # 128-4 ”) :No Additional Information Available

OTHER ADVERSE EFFECTS :

Effect on Ozone Layer (“ HydroxiPro # 128-4 ”)No Additional Information Available

Effect on Global Warming (“ HydroxiPro # 128-4 ”)No Additional Information Available



HYDROXIPRO #128-4

**MULTI-TASKING
CONCENTRATED CLEANER**

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations : Dispose in safe manner in accordance with local / state/federal regulations . Dispose of contents / container in accordance with local/regional/national/ international regulations . Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities while adhering to the necessary regulations .
Ecology – Waste Materials : Avoid release into environment .
Recommended Cleansing Agents : Water Only

SECTION 14 : TRANSPORT INFORMATION

US Department of Transportation (DOT) “ HydroxiPro # 128-4 ” as a finished product : Not Regulated
Water Transportation (IMO) “ HydroxiPro # 128-4 ” as a finished product : Not Regulated
Air Transportation (IATA) “ HydroxiPro # 128-4 ” as a finished product : Not Regulated
Hydrogen Peroxide , Concentrate=40% Aqueous Solution (7722-84-1)
UN Number (DOT, IMDG, IATA) UN 2014
UN Proper Shipping Name (DOT, IMDG, IATA) Hydrogen Peroxide Aqueous Solution
Transport Hazard Class(es) (DOT, IMDG, IATA) 5.1-8 Oxidizer / Corrosive (@ 40%) / Unknown (@ 4 %)
Packing Group (DOT, IMDG, IATA) II (@ 40%) / Unknown (@ 4 %)
Environmental Hazards : Marine Pollutant (Yes/No) NO
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code...Not Applicable
Shipping Restrictions : Air forbidden for concentration greater than 40 %
For concentrations under 40 % : Passenger Aircraft – 1 L Max. pkg. / Cargo Aircraft Only – 5 L Max. pkg.

SECTION 15 : REGULATORY INFORMATION

Safety, Health, and Environmental Regulations/Legislation specific for the substance or mixture .
SARA 313 : (“ HydroxiPro # 128-4 ” as a finished product) : No reportable ingredients at existing percentages .

UNITED STATES (USA)

SARAH Section 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302 :

Hydrogen Peroxide (CAS# 7722-84-1) -- Revision Date : 1993-04-24

SARAH Section 313 Components This material does not contain any chemical components with known CAS Numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313 .

TSCA (Toxic Substances Control Act)All Ingredients are Listed

Massachusetts Right-to-Know Components : Hydrogen Peroxide (CAS# 7722-84-1) -- Revision Date : 1993-04-24

Pennsylvania Right-to-Know Components : Water (CAS# 7732-18-5) // Hydrogen Peroxide (CAS# 7722-84-1) -- Revision Date : 1993-04-24

Massachusetts Right-to-Know Components : Water (CAS# 7732-18-5) // Hydrogen Peroxide (CAS# 7722-84-1) -- Revision Date : 1993-04-24

Proposition 65 (California) : This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm .

Chemicals Known to Cause CancerIngredients are Not Listed

Chemicals Known to Cause Reproductive Toxicity for Females Ingredients are Not Listed

Chemicals Known to Cause Reproductive Toxicity for Males Ingredients are Not Listed

Chemicals Known to Cause Developmental ToxicityIngredients are Not Listed

Carcinogenic Categories :

EPA (Environmental Protection Agency)Ingredients are Not Listed

International Regulations :

CANADA , EU-REGULATIONSNo Additional Information Available



HYDROXIPRO #128-4

**MULTI-TASKING
CONCENTRATED CLEANER**

SECTION 16 : OTHER INFORMATION

HMIS Rating		GHS classification ratings order of severity differ from NFPA and HMIS	
HEALTH	0	HMIS NFPA Hazard Ratings	GHS Hazard Categories
FLAMMABILITY	0	0= Minimal Hazard	Cat 1 ~ Severe Hazard
PHYSICAL HAZARD	0	1= Slight Hazard	Cat 2 ~ Serious Hazard
PERSONAL PROTECTION	B	2= Moderate Hazard	Cat 3 ~ Moderate Hazard
		3= Serious Hazard	Cat 4 ~ Slight Hazard
		4= Severe Hazard	Cat 5 ~ Minimal Hazard

DISCLAIMER : This document is intended to provide a brief summary of our present knowledge and guidance regarding the use of this material . The information set forth herein has been compiled from sources to be dependable and is believed to be accurate as of the date of issuance . This information is offered in good faith by HEALTHY CLEAN BUILDINGS and no warranty, expressed or implied, is made . The user assumes all liability for any damage or injury resulting from misuse, from any failure to adhere to recommended practices according to product label (and such), or from any hazards inherent in the nature of the product . This document shall not constitute a guarantee for any specific product features and shall not establish a legally valid contracted relationship.

Footnotes : CALC-Calculated; COR-Corrosive; CS-Cancer Suspect Agent; EST-Estimated; HMIS-Hazardous Material Identification System; NA-Not Applicable; ND-No Data ; NE – Data Not Established; OX- Oxidizer; PEL-Permissible Exposure Limit; PPI-Personal Protection Index ; STEL-Short Time Exposure Limit; TLV-Threshold Limit Value; TWA-Time Weighted Average