



SAFETY DATA SHEET



Stone Logic Neutral Cleaner Concentrate

Revision Date 1/9/2016

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Stone Logic Neutral Cleaner Concentrate

ITEM STNC-128C

PRODUCT USE Neutral Cleaner For All Stone Surfaces

COMPANY NAME **Healthy Clean Buildings(R)**

Office Tel: (631) 643-1882

4 Wilmington Drive

Fax (631) 643-4649

Melville, New York 11747

Web : www.cleaningpro.com

e-mail: healthycleanblgs@gmail.com

EMERGENCY TELEPHONE NUM CHEMTREC (800) 424-9300

SECTION - 2 HAZARDS INFORMATION

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3; SKIN SENSITIZER-Category 1

Environmental ACUTE-Aquatic Toxicity-Category 3; CHRONIC-Aquatic Toxicity-Category 3



Irritant (skin)
Respiratory Tract Irritant
Skin Sensitizer



Eye Damage

DANGER Causes serious eye damage, Causes skin irritation, May cause an allergic skin reaction, May cause respiratory irritation
May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Alcohol Ethoxylate	Alcohols, C9-11, ethoxylated	68439-46-3		1 - 7%
Glycol Ether DPM	Dipropylene Glycol Methyl Ether	34590-94-8		1 - 3%
Hydrogen Peroxide		7722-84-1		4.06%

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain, or possible eye damage, by direct product eye contact

Skin Can cause serious skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact

Skin Causes skin irritation, redness, burning, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass

Explosion Hazards Not applicable

Static Discharge Not applicable

Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Ventilate area, Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Gloves
Containment	Use rags, towels, absorbent socks or pads to prevent spill from spreading
Clean Up Procedures	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of mist, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials, Avoid storing in direct sunlight, Stored above 4.4°C (40°F) and below 49°C (120°F)
Incompatible Materials	Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Alcohol Ethoxylate	None Established				EI
Glycol Ether DPM	100 ppm	150 ppm	100 ppm		RT,CNS,SA
Hydrogen Peroxide	1 ppm (1.4 mg/m ³)		1 ppm (1.4 mg/m ³)		RT

PERSONAL PROTECTIVE EQUIPMENTChemical Safety Glasses,
Goggles or Face ShieldImpervious
Chemical GlovesEye Wash
(Recommended)**Ventilation**

General Ventilation

HMIS HAZARD RATINGS

Health	1
Flammability	0
Reactivity	1
Personal Protection	B

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.01
Flammable Limits	ND	pH (± 0.3)	6.0 - 6.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Mild Citrus	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 92%	Partition Coefficient	ND
VOC	0.012% @ 1:128	Molecular Weight (g/mol)	~ 46.98
LVP-VOC	0.00%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored above 4.4°C (40°F) and below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials, Direct sunlight
Incompatible Materials	Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Healthy Clean Buildings(R)
Telephone:(631)643-1882
Website:www.cleaningpro.com
healthycleanblgs@gmail.com

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain, or possible eye damage, by direct product eye contact

Skin Can cause serious skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact

Skin Causes skin irritation, redness, burning, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

Acute Tox Calculated Oral: 8,520 mg/kg Dermal: 11,913 mg/kg Inhaled: 17.2 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs Respiratory Tract, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME	NTP	ACGIH	IARC	GHS Category
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME	Germ Cell Mutagenicity	Toxic to Reproduction
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	Type	Form	Subject	Result Value	Exposure Time	GHS Category
Glycol Ether DPM	LD50	Oral	Rat	5,200 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	5,900 mg/kg		(>2000 mg/kg)
Alcohol Ethoxylate	LD50	Oral	Rat	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
Hydrogen Peroxide	LD50	Oral	Rat	1,270 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Inhaled	Rat	2.0 mg/L	4 Hour (Mist)	4 (>1.0, ≤5 mg/L)

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	Type	Subject	Subject Latin	Result Value	Exposure Time	GHS Category
Glycol Ether DPM	LC50	Fathead Minnow	(Pimephales promelas)	10,000 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	1,919 mg/L	48 Hours	4 (>100 mg/L)
	LC50	Rainbow Trout	(Oncorhynchus mykiss)	5,000 mg/L	96 Hours	4 (>100 mg/L)
Alcohol Ethoxylate	LD50	Fathead minnow	(Pimephales promelas)	140 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	5.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Hydrogen Peroxide	LC50	Fathead Minnow	(Pimephales promelas)	16.4 mg/L	96 Hours	3 (>10, ≤100 mg/L)

Persistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life

Healthy Clean Buildings(R)
Telephone:(631)643-1882
Website:www.cleaningpro.com
healthycleanblgs@gmail.com

SECTION – 13 DISPOSAL CONSIDERATIONS**DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER****Dispose of any waste in accordance with all State and Federal Guidelines and Regulations****ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION**

UN Number	Proper Shipping Name		n.o.s. (Chemicals) or "Limits"				
Not Regulated	Non Hazardous – Compounds		Cleaning Liquid				
Hazard Class	Packing Group	Label Codes	Reportable Quantity (lbs)	Response	Marine Pollutant	Hazard Label	Secondary
None	None	None	None	154	No		

Additional Info:

SECTION – 15 REGULATORY INFORMATION

TSCA														
CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification										
Alcohol ethoxylate	Yes													
Glycol Ether DPM	Yes													
Hydrogen Peroxide	Yes													
REPORTABLE QUANTITIES														
CHEMICAL NAME	Extremely Hazardous	Reportable Quantity	Emission Reporting											
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r								
Glycol Ethers				Yes										
Hydrogen Peroxide (> 52%)			1000											
SARA														
CHEMICAL NAME	Section 311		Section 311 / 312 Hazards											
CHEMICAL NAME	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive								
Alcohol Ethoxylate	Yes	Yes												
Glycol Ether DPM	Yes	Yes		Yes										
Hydrogen Peroxide	Yes	Yes	Yes			Yes								
RIGHT TO KNOW														
CHEMICAL NAME	STATE													
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI	
Glycol Ether DPM						Yes		Yes			Yes			
Hydrogen Peroxide						Yes		Yes			Yes			
CALIFORNIA														
CHEMICAL NAME	CAS #	WARNING! This product contains chemicals known to the state of California to cause:												
CHEMICAL NAME	CAS #	Birth Defects	Reproductive Harm	Carcinogen	Developmental									
None Listed														
CLEAN AIR WATER ACTS														
CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts									
CHEMICAL NAME	CAS #	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP							
None Listed														
INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:														
CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK								
Alcohol Ethoxylate	Yes	Yes	Yes	Yes	Yes	Yes								
Hydrogen Peroxide	Yes	Yes	Yes	Yes	Yes	Yes								
WHMIS Classification														
CHEMICAL NAME	DSL	Class	Description											
Alcohol Ethoxylate, Hydrogen Peroxide	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material											
Hydrogen Peroxide		C	Oxidizing Material											

Healthy Clean Buildings(R)
Telephone:(631)643-1882
Website:www.cleaningpro.com
healthycleanblgs@gmail.com

SECTION – 16 OTHER INFORMATION

SDS LEGEND DESCRIPTION

ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 1/22/2016

Supersedes Safety Data Sheet Dated

1/1/2013

NOT TO BE SOLD IN THE STATE OF CALIFORNIA

**Healthy Clean Buildings**

4 Wilmington Drive • Melville, New York 11747

Tel: (631) 643-1882 Website: www.cleaningpro.comFax: (631) 643-4649 e-mail: healthycleanblgs@gmail.com